


pressed collars

Valones premsades DIN

Collarines prensados DIN

1/3

PN10 EN10253 (DIN2642)



| code | DN | D | D ₁ | D ₂ | H | T ₁ | T ₂ | kg | marking | Tolerance D ₁ |
|-------------|----|-----|----------------|----------------|----|----------------|----------------|------|----------|--------------------------|
| CV01703304L | 15 | 40 | 17,2 | 13,2 | 9 | 2 | 3 | 0,03 | 17,2/2 | ± 0,5 mm |
| CV02103304L | 20 | 45 | 21,3 | 17,3 | 9 | 2 | 3 | 0,04 | 21,3/2 | ± 0,5 mm |
| CV025034571 | 20 | 58 | 25 | 21 | 12 | 2 | 3 | 0,06 | 25/2 | ± 0,5 mm |
| CV02603316L | 25 | 58 | 26,9 | 22,9 | 12 | 2 | 3 | 0,06 | 26,9/2 | ± 0,5 mm |
| CV02803304L | 25 | 68 | 28 | 24 | 14 | 2 | 3 | 0,08 | 28/2 | ± 0,5 mm |
| CV03003304L | 25 | 68 | 30 | 26 | 15 | 2 | 3 | 0,08 | 30/2 | ± 0,5 mm |
| CV03303304L | 25 | 68 | 33,7 | 29,7 | 15 | 2 | 3 | 0,08 | 33,7/2 | ± 0,5 mm |
| CV03335304L | 25 | 68 | 33,7 | 28,7 | 15 | 2,5 | 3,5 | 0,10 | 33,7/2,5 | ± 0,5 mm |
| CV038034571 | 32 | 78 | 38 | 34 | 15 | 2 | 3 | 0,11 | 38/2 | ± 0,5 mm |
| CV038354571 | 32 | 78 | 38 | 33 | 15 | 2,5 | 3,5 | 0,12 | 38/2,5 | ± 0,5 mm |
| CV04203304L | 32 | 78 | 42,4 | 38,4 | 15 | 2 | 3 | 0,11 | 42,4/2 | ± 0,5 mm |
| CV04235304L | 32 | 78 | 42,4 | 37,4 | 15 | 2,5 | 3,5 | 0,12 | 42,4/2,5 | ± 0,5 mm |
| CV04403304L | 40 | 89 | 44,5 | 40,5 | 17 | 2 | 3 | 0,14 | 44,5/2 | ± 0,5 mm |
| CV044354541 | 40 | 88 | 44,5 | 39,5 | 17 | 2,5 | 3,5 | 0,16 | 44,5/2,5 | ± 0,5 mm |
| CV04803304L | 40 | 88 | 48,3 | 44,3 | 17 | 2 | 3 | 0,14 | 48,3/2 | ± 0,5 mm |
| CV04804304L | 40 | 88 | 48,3 | 42,3 | 17 | 3 | 4 | 0,28 | 48,3/3 | ± 0,5 mm |
| CV04835304L | 40 | 88 | 48,3 | 43,3 | 17 | 2,5 | 3,5 | 0,16 | 48,3/2,5 | ± 0,5 mm |
| CV05403304L | 50 | 102 | 54 | 50 | 23 | 2 | 3 | 0,19 | 54/2 | ± 1,0 mm |
| CV057034541 | 50 | 102 | 57 | 53 | 23 | 2 | 3 | 0,19 | 57/2 | ± 1,0 mm |
| CV057044541 | 50 | 102 | 57 | 51 | 23 | 3 | 4 | 0,25 | 57/3 | ± 1,0 mm |
| CV057354541 | 50 | 102 | 57 | 52 | 23 | 2,5 | 3,5 | 0,22 | 57/2,5 | ± 1,0 mm |
| CV06003304L | 50 | 102 | 60,3 | 56,3 | 23 | 2 | 3 | 0,19 | 60,3/2 | ± 1,0 mm |
| CV06004304L | 50 | 102 | 60,3 | 54,3 | 23 | 3 | 4 | 0,24 | 60,3/3 | ± 1,0 mm |

pressed collars

Valones premsades DIN

Collarines prensados DIN

2/3

PN10 EN10253 (DIN2642)

| code | DN | D | D ₁ | D ₂ | H | T ₁ | T ₂ | kg | marking | Tolerance D ₁ |
|-------------|-----|-----|----------------|----------------|----|----------------|----------------|------|-----------|--------------------------|
| CV06035304L | 50 | 102 | 60,3 | 55,3 | 23 | 2,5 | 3,5 | 0,22 | 60,3/2,5 | ± 1,0 mm |
| CV07003304L | 65 | 122 | 70 | 66 | 23 | 2 | 3 | 0,26 | 70/2 | ± 1,0 mm |
| CV07603304L | 65 | 122 | 76,1 | 72,1 | 23 | 2 | 3 | 0,25 | 76,1/2 | ± 1,0 mm |
| CV076044404 | 65 | 122 | 76,1 | 70,1 | 23 | 3 | 4 | 0,33 | 76,1/3 | ± 1,0 mm |
| CV07635304L | 65 | 122 | 76,1 | 71,1 | 23 | 2,5 | 3,5 | 0,29 | 76,1/2,5 | ± 1,0 mm |
| CV08403304L | 80 | 138 | 84 | 80 | 23 | 2 | 3 | 0,31 | 84/2 | ± 1,0 mm |
| CV08803304L | 80 | 138 | 88,9 | 84,9 | 23 | 2 | 3 | 0,31 | 88,9/2 | ± 1,0 mm |
| CV08804304L | 80 | 138 | 88,9 | 82,9 | 23 | 3 | 4 | 0,41 | 88,9/3 | ± 1,0 mm |
| CV08835304L | 80 | 138 | 88,9 | 83,9 | 23 | 2,5 | 3,5 | 0,36 | 88,9/2,5 | ± 1,0 mm |
| CV10403304L | 100 | 158 | 104 | 100 | 28 | 2 | 3 | 0,41 | 104/2 | ± 1,0 mm |
| CV108044541 | 100 | 158 | 108 | 102 | 28 | 3 | 4 | 0,53 | 108/3 | ± 1,0 mm |
| CV108354541 | 100 | 158 | 108 | 103 | 28 | 2,5 | 3,5 | 0,46 | 108/2,5 | ± 1,0 mm |
| CV11403304L | 100 | 158 | 114,3 | 110,3 | 28 | 2 | 3 | 0,41 | 114,3/2 | ± 1,0 mm |
| CV11404304L | 100 | 158 | 114,3 | 108,3 | 28 | 3 | 4 | 0,54 | 114,3/3 | ± 1,0 mm |
| CV11435304L | 100 | 158 | 114,3 | 109,3 | 28 | 2,5 | 3,5 | 0,48 | 114,3/2,5 | ± 1,0 mm |
| CV12903304L | 125 | 188 | 129 | 125 | 30 | 2 | 3 | 0,57 | 129/2 | ± 1,0 mm |
| CV133044571 | 125 | 188 | 133 | 127 | 30 | 3 | 4 | 0,79 | 133/3 | ± 1,0 mm |
| CV133354571 | 125 | 188 | 133 | 128 | 30 | 2,5 | 3,5 | 0,69 | 133/2,5 | ± 1,0 mm |
| CV139034571 | 125 | 188 | 139,7 | 135,7 | 30 | 2 | 3 | 0,51 | 139,7/2 | ± 1,0 mm |
| CV139044571 | 125 | 188 | 139,7 | 133,7 | 30 | 3 | 4 | 0,71 | 139,7/3 | ± 1,0 mm |
| CV13935304L | 125 | 188 | 139,7 | 134,7 | 30 | 2,5 | 3,5 | 0,62 | 139,7/2,5 | ± 1,0 mm |
| CV154034571 | 150 | 212 | 154 | 150 | 30 | 2 | 3 | 0,69 | 154/2 | ± 1,0 mm |
| CV156034571 | 150 | 212 | 156 | 152 | 30 | 2 | 3 | 0,69 | 156/2 | ± 1,0 mm |
| CV159044571 | 150 | 212 | 159 | 153 | 30 | 3 | 4 | 0,90 | 159/3 | ± 1,0 mm |
| CV159354541 | 150 | 212 | 159 | 154 | 30 | 2,5 | 3,5 | 0,79 | 159/2,5 | ± 1,0 mm |
| CV16803304L | 150 | 212 | 168,3 | 164,3 | 30 | 2 | 3 | 0,61 | 168,3/2 | ± 1,0 mm |
| CV16804304L | 150 | 212 | 168,3 | 162,3 | 30 | 3 | 4 | 0,82 | 168,3/3 | ± 1,0 mm |
| CV168354571 | 150 | 212 | 168,3 | 163,3 | 30 | 2,5 | 3,5 | 0,72 | 168,3/2,5 | ± 1,0 mm |
| CV20403304L | 200 | 268 | 204 | 199 | 30 | 2,5 | 3 | 0,96 | 204/2,5 | ± 1,0 mm |
| CV204254571 | 200 | 268 | 204 | 200 | 30 | 2 | 3 | 0,96 | 204/2 | ± 1,0 mm |
| CV206034571 | 200 | 268 | 206 | 201 | 30 | 2,5 | 3 | 0,96 | 206/2,5 | ± 1,0 mm |
| CV219034571 | 200 | 268 | 219,1 | 214,1 | 30 | 2,5 | 3 | 0,80 | 219,1/2,5 | ± 1,0 mm |
| CV219044571 | 200 | 268 | 219,1 | 212,1 | 30 | 3,5 | 4 | 1,16 | 219,1/3,5 | ± 1,0 mm |

pressed collars

Valones premsades DIN

Collarines prensados DIN

3/3

PN10 EN10253 (DIN2642)

| code | DN | D | D ₁ | D ₂ | H | T ₁ | T ₂ | kg | marking | Tolerance D ₁ |
|-------------|-----|-----|----------------|----------------|----|----------------|----------------|------|-----------|-----------------------------|
| CV219354571 | 200 | 268 | 219,1 | 213,1 | 30 | 3 | 3,5 | 1,02 | 219,1/3 | ± 1,0 mm |
| CV254034571 | 250 | 320 | 254 | 249 | 30 | 2,5 | 3 | 1,13 | 254/2,5 | ± 1,0 mm |
| CV254254571 | 250 | 320 | 254 | 250 | 30 | 2 | 3 | 1,13 | 254/2 | ± 1,0 mm |
| CV273034571 | 250 | 320 | 273 | 268 | 30 | 2,5 | 3 | 1,03 | 273/2,5 | ± 2,0 mm |
| CV27304304L | 250 | 320 | 273 | 266 | 30 | 3,5 | 4 | 1,38 | 273/3,5 | ± 2,0 mm |
| CV273354571 | 250 | 320 | 273 | 267 | 30 | 3 | 3,5 | 1,21 | 273/3 | ± 2,0 mm |
| CV30603304L | 300 | 370 | 306 | 301 | 35 | 2,5 | 3 | 1,32 | 306/2,5 | ± 2,0 mm |
| CV306354571 | 300 | 370 | 306 | 300 | 35 | 3 | 3,5 | 1,63 | 306/3 | ± 2,0 mm |
| CV32303304L | 300 | 370 | 323,9 | 318,9 | 35 | 2,5 | 3 | 1,33 | 323,9/2,5 | ± 2,0 mm |
| CV323044571 | 300 | 370 | 323,9 | 316,9 | 35 | 3,5 | 4 | 1,86 | 323,9/3,5 | ± 2,0 mm |
| CV32335304L | 300 | 370 | 323,9 | 317,9 | 35 | 3 | 3,5 | 1,63 | 323,9/3 | ± 2,0 mm |
| CV355044571 | 350 | 430 | 355,6 | 348,6 | 35 | 3,5 | 4 | 2,35 | 355,6/3,5 | ± 2,0 mm |
| CV35505304L | 350 | 430 | 355,6 | 346,6 | 35 | 4,5 | 5 | 2,98 | 355,6/4,5 | ± 2,0 mm |
| CV355354571 | 350 | 430 | 355,6 | 349,6 | 35 | 3 | 3,5 | 2,08 | 355,3/3 | ± 2,0 mm |
| CV40604304L | 400 | 480 | 406,4 | 399,4 | 35 | 3,5 | 4 | 2,81 | 406,4/3,5 | ± 3,0 mm |
| CV406054571 | 400 | 480 | 406,4 | 397,4 | 35 | 4,5 | 5 | 3,51 | 406,4/4,5 | ± 3,0 mm |
| CV406354404 | 400 | 480 | 406,4 | 400,4 | 35 | 3 | 3,5 | 2,46 | 406,4/3 | ± 3,0 mm |
| CV508044571 | 500 | 580 | 508 | 501 | 40 | 3,5 | 4 | 3,85 | 508/3,5 | ± 3,0 mm |
| CV508054571 | 500 | 580 | 508 | 499 | 40 | 4,5 | 5 | 4,81 | 508/4,5 | ± 3,0 mm |
| CV609044541 | 600 | 680 | 609,6 | 602,6 | 40 | 3,5 | 4 | 4,49 | 609,6/3,5 | ± 3,0 mm |
| CV609054571 | 600 | 680 | 609,6 | 600,6 | 40 | 4,5 | 5 | 5,62 | 609,6/4,5 | ± 3,0 mm |